




# 4mm

## Floors & Walls

### 0.3mm wear layer

### No attached back pad – supplied as a roll

*comes supplied with your choice of  
3mm Quietwalk Plus or Insulayment  
acoustic underlayments*



## CASA NBP COLLECTION

# SPC HYBRID PLANK 4

A perfect acoustic, anti-fracture  
underlayment / flooring system



[www.auslayindustries.com.au](http://www.auslayindustries.com.au)



# Casa NBP Collection

## Floor & wall 4.0mm +



**No attached backpad** “Supplied with your choice of Quietwalk plus or Insulayment”

Install as your new floating floor using the supplied acoustic / anti fracture underlayments.

We supply your choice of Quietwalk Plus or Insulayment underlay free with your Casa NBP hybrid flooring. This gives you the option to suit your job requirements. Perfect for installing over timber floors.

### SPC Hybrid Plank Casa N Walls and Floors

- Plank size : 1220mm x 178mm x 4.0mm
- no back padding attached
- 12 planks per box
- 2.61m<sup>2</sup> per box
- 0.3mm wear layer
- 11 x timber pattern and colours
- Scratch resistant
- Stain resistant
- Fully waterproof
- Fire resistant
- Residential floors and commercial



*Warranty*

*15 year residential*

### 11 hybrid colours - Casa “No back Pad” Collection \* Walls and Floors



Floors : float install over our acoustic / anti fracture underlayments  
Walls : direct glue to vertical surfaces



[www.auslayindustries.com.au](http://www.auslayindustries.com.au)

August 2024



# Casa NBP Collection


## Floor & wall 4.0mm +



### Choose your underlayment

**Quietwalk Plus** - for substrates that are subject to moisture such as concrete with rising damp or suspended floors subject to ground moisture. Very good acoustic reduction and crack isolation.

**Insulayment** - for substrates that are not subject to moisture such as concrete with no rising damp or 2nd level floors or tongue and groove timber. Very good acoustic reduction and crack isolation.



**INSULAYMENT**



**QUIETWALK PLUS**